



TEXAS ADVANCED COMPUTING CENTER

WWW.TACC.UTEXAS.EDU



TEXAS

The University of Texas at Austin

15 years of Lmod: A Retrospective

Robert McLay

August 1, 2023

Outline



- ▶ The start of Lmod
- ▶ Why I used Lua to implement Lmod?
- ▶ Where Lmod success comes from?
- ▶ Features added over time
- ▶ Lmod lessons learned
- ▶ Conclusions

The start of Lmod

- ▶ In 2008, my friend and colleague Bill Barth asked:
- ▶ TACC has a software hierarchy with Tmod 3.2.10 (TCL/C)
- ▶ Impossible to change compilers or mpi modules
- ▶ Help?

Key Insight

- ▶ Remember the state of `$MODULEPATH`
- ▶ When it changes, change loaded modules if necessary
- ▶ Support the idea of inactive modules
- ▶ Lmod was born

Why implement in Lua?

- ▶ TCL is not my favorite language
- ▶ TCL/C Tmod was/is very complicated (and ugly!!)
- ▶ Worked in Lua to develop testing tools (more on this latter)
- ▶ Did consulting work in Python before TACC: Avoid conflicts
- ▶ If useful, the idea would be integrated into Tmod (Nope!)
- ▶ Happy accident: Lua is fast enough
- ▶ Lua is easier to protect from user environments (Esp. Python)

Some Reasons for Lmod Success

- ▶ Initially no real competition (Tmod 4 started in 2017)
- ▶ Working at TACC helped
- ▶ Good enough documentation
- ▶ Easy transition from Tmod to Lmod (Lmod reads TCL modulefiles (Almost always works!?!))
- ▶ Many Features not provided by other tools
- ▶ Unsolicited articles written by Jeff Layton about Lmod
- ▶ Many say: “It just works so I don’t worry about it.”
- ▶ Now used by EasyBuild, OpenHPC and Spack
- ▶ Packages for Mac Brew, Fedora, Debian
- ▶ It is reliable.

Hidden Reason for Lmod Success

- ▶ Testing Lmod has an extensive test suite (1400+ tests)
- ▶ Lmod uses the release early and often model.
- ▶ Almost 7000 check-in, 611 tags (versions)
- ▶ Can debug (via `ml -D ...` or `ml -T`) remotely
- ▶ My background is in 3-D Finite Element in C++
- ▶ I am a big fan of Design Patterns
- ▶ Lmod uses Singleton, Factories and Template pattern through-out for a code written in Lua.

More on Testing

- ▶ The TM testing suite filters output to converts to canonical names
- ▶ Makes output path independent so tests can be run anywhere
- ▶ Tests both stderr and stdout output for each test
- ▶ Can repeatedly run a single test file or just the ones that failed
- ▶ Lmod is reliable because of testing
- ▶ Github Actions run tests on 4 version of Lua on both Ubuntu and macOS for every check-in. (Thanks Kenneth Host and Ward Poelmans!)
- ▶ There are also unit tests and installed Lmod set of tests

Building trust with the user community

- ▶ Making it reliable (again via Testing)
- ▶ Timely answering the email and github issues
- ▶ Book: Team Geek
- ▶ Learning to be polite when answering and re-answering questions
- ▶ “You might consider ...”
- ▶ “Please test Lmod version ... when you get a chance to see if it works for you”
- ▶ Not getting upset when non-native English speakers sound insulting

Features added over time

- ▶ Tab completion for bash and z-shell
- ▶ Support for N/V then C/N/V finally N/V/V (Lmod 7+)
- ▶ Semantic versioning ($5.9 < 5.10$)
- ▶ Module properties
- ▶ Spider cache (speed up “module avail” and “module load”)
- ▶ Personal Collections
- ▶ ml
- ▶ sandbox (prevents modulefiles from calling internal routines)

Features part II

- ▶ pushenv, sticky modules, i18n error messages
- ▶ Hooks, /etc/lmod/lmod_config.lua
- ▶ Tracking of module usage via hooks
- ▶ Hidden modules
- ▶ depends_on()
- ▶ source_sh(): source a shell script inside a modulefile
- ▶ LMOD_QUARANTINE_VARS
- ▶ ...


Lmod lesson learned

- ▶ A private repo (bitbucket) as well as a public repo (github)
- ▶ make gittag TAG=...; make world_update
- ▶ git worktrees
- ▶ Exploiting Lmod to help XALT
- ▶ Learned way more than I ever wanted to know about bash, zsh, tcsh shell startup procedures
- ▶ Want tcsh to die, die, die
- ▶ That default interactive non-login bash shell startup is borked (We patch bash to get to work)
- ▶ Can be difficult to decide what a user is reporting. Bug or not?
- ▶ Getting users to use the bugReport script when submitting a bug.

Lmod lesson learned (II)

- ▶ That `module() { eval "$(LMOD_CMD bash "$@")" }` works better than
- ▶ `module() { eval $(LMOD_CMD bash "$@") }` who knew?
- ▶ Cannot test every possibility, users will **ALWAYS** find a case I missed
- ▶ The `moduleTable` has been incredible notion to store the module state in your env.
- ▶ That other tools will use the spider cache output.
- ▶ No two site are run exactly the same way.
- ▶ There are ten or more ways that Lmod can be tailored.
- ▶ Communicating changes thru README.new

Lmod Doc usage by City



Conclusions

- ▶ Not every site works like TACC.
- ▶ That making Lmod available to the world has made it so much better.
- ▶ I have made many friends over the years through working on Lmod.
- ▶ Working on Lmod has been a fun part of the job.
- ▶ I have been giving these Lmod Monthly talks since Sept 2021

Future Topics

- ▶ Next Meeting will be Sept. 5th at 9:30 Central (14:30 UTC)
- ▶ Mathew Cawood will be running the meeting with a different zoom link